

A brief summary of TGD and TGD inspired views of quantum biology and consciousness

April 29, 2024

Matti Pitkänen

orcid:0000-0002-8051-4364.
email: matpitka6@gmail.com,
url: http://tgdttheory.com/public_html/,
address: Rinnekatu 2-4 A 8, 03620, Karkkila, Finland.

Abstract

A brief summary of the basic ideas and concepts of TGD, TGD inspired quantum biology, and TGD inspired theory of consciousness is given.

Contents

1	Brief summary of TGD	1
1.1	The basic ideas of TGD	2
1.2	Physics as geometry	2
1.3	Physics as number theory	3
1.3.1	$M^8 - H$ duality	4
1.3.2	p-Adic physics	4
1.3.3	Hierarchy of Planck constants labelling phases ordinary matter dark matter behaving like dark matter	4
1.4	TGD as an analog of topological QFT	5
1.5	Zero energy ontology	5
1.6	Equivalence Principle in TGD framework	6
1.7	Quantum TGD as a generalization of Einstein's geometrization program	7
1.7.1	The world of classical worlds and its symmetries	7
1.7.2	About the construction of scattering amplitudes	8
2	Basic ideas of TGD inspired quantum biology	10
3	TGD view of consciousness very briefly	12
4	Figures	13

1 Brief summary of TGD

Towards the end of the year 2023 I became convinced that it would be appropriate to prepare collections about books related to TGD and its applications. The finiteness of human lifetime was my first motivation. My second motivation was the deep conviction that TGD will mean a revolution of the scientific world view and I must do my best to make it easier.

The first collection would relate to the TGD proper and its applications to physics. Second collection would relate to TGD inspired theory of consciousness and the third collection to TGD based quantum biology. The books in these collections would focus on much more precise topics than the earlier books and would be shorter. This would make it much easier for the reader to understand what TGD is, when the time is finally mature for the TGD to be taken seriously. This particular book belongs to a collection of books about TGD proper.

1.1 The basic ideas of TGD

TGD can be regarded as a unified theory of fundamental interactions but is not the kind of unified theory as so called GUTs constructed by graduate students in the seventies and eighties using detailed recipes for how to reduce everything to group theory. Nowadays this activity has been completely computerized and it probably takes only a few hours to print out the predictions of this kind of unified theory as an article in the desired format. TGD is something different and I am not ashamed to confess that I have devoted the last 45 years of my life to this enterprise and am still unable to write The Rules.

If I remember correctly, I got the basic idea of Topological Geometrodynamics (TGD) during autumn 1977, perhaps it was October. What I realized was that the representability of physical space-times as 4-dimensional surfaces of some higher-dimensional space-time obtained by replacing the points of Minkowski space with some very small compact internal space could resolve the conceptual difficulties of general relativity related to the definition of the notion of energy. This belief was too optimistic and only with the advent of what I call zero energy ontology the understanding of the notion of Poincare invariance has become satisfactory. This required also the understanding of the relationship to General Relativity.

It soon became clear that the approach leads to a generalization of the notion of space-time with particles being represented by space-time surfaces with finite size so that TGD could be also seen as a generalization of the string model. Much later it became clear that this generalization is consistent with conformal invariance only if space-time is 4-dimensional and the Minkowski space factor of the embedding space is 4-dimensional. During last year it became clear that 4-D Minkowski space and 4-D complex projective space CP_2 are completely unique in the sense that they allow twistor space with Kähler structure.

It took some time to discover that also the geometrization of also gauge interactions and elementary particle quantum numbers could be possible in this framework: it took two years to find the unique internal space (CP_2) providing this geometrization involving also the realization that family replication phenomenon for fermions has a natural topological explanation in TGD framework and that the symmetries of the standard model symmetries are much more profound than pragmatic TOE builders have believed them to be. If TGD is correct, the mainstream particle physics chose the wrong track leading to the recent deep crisis when people decided that quarks and leptons belong to the same multiplet of the gauge group implying instability of the proton.

Instead of trying to describe in detail the path, which led to TGD as it is now with all its side tracks, it is better to summarize the recent view which of course need not be final.

TGD can be said to be a fusion of special and general relativities. The Relativity Principle (Poincare Invariance) of Special Relativity is combined with the General Coordinate Invariance and Equivalence Principle of General Relativity. TGD involves 3 views of physics: physics geometry, physics as number theory and physics as topological physics in some sense.

1.2 Physics as geometry

”Geometro-” in TGD refers to the idea about the geometrization of physics. The geometrization program of Einstein is extended to gauge fields allowing realization in terms of the geometry of surfaces so that Einsteinian space-time as abstract Riemann geometry is replaced with submanifold geometry. The basic motivation is the loss of classical conservation laws in General Relativity Theory (GRT)(see **Fig. 1**). Also the interpretation as a generalization of string models by replacing string with 3-D surface is natural.

1. Standard model symmetries uniquely fix the choice of 8-D space in which space-time surfaces live to $H = M^4 \times CP_2$ [L13]. Also the notion of twistor is geometrized in terms of surface

geometry and the existence of twistor lift fixes the choice of H completely so that TGD is unique [L3, L4](see **Fig. 2**). The geometrization applies even to the quantum theory itself and the space of space-time surfaces - "world of classical worlds" (WCW) - becomes the basic object endowed with Kähler geometry (see **Fig. 3**). The mere mathematical existence of WCW geometry requires that it has maximal isometries, which together twistor lift and number theoretic vision fixes it uniquely [L14].

2. General Coordinate Invariance (GCI) for space-time surfaces has dramatic implications. A given 3-surface fixes the space-time surface almost completely as analog of Bohr orbit (preferred extremal). This implies holography and leads to zero energy ontology (ZEO) in which quantum states are superpositions of space-time surfaces [K8, ?].
3. From the beginning it was clear that the theory predicts the presence of long ranged classical electro-weak and color gauge fields and that these fields necessarily accompany classical electromagnetic fields in all scales. It took about 26 years to gain the maturity to admit the obvious: these fields are classical correlates for long range color and weak interactions assignable to the phases of ordinary matter predicted by the number theoretic vision and behaving like dark matter but identifiable as matter explaining the missing baryon problem whereas the galactic dark matter would correspond to the dark energy assignable monopole flux tubes as deformations of cosmic strings. The only possible conclusion is that TGD physics is a fractal consisting of an entire hierarchy of fractal copies of standard model physics. Also the understanding of electro-weak massivation and screening of weak charges has been a long standing problem and p-adic physics solved this problem in terms of p-adic thermodynamics [K1, K4] [L8].
4. One of the most recent discoveries of classical TGD is exact general solution of the field equations. Holography can be realized as a generalized holomorphy realized in terms of what I call Hamilton-Jacobi structure [L11]. Space-time surfaces correspond to holomorphic imbeddings of the space-time surface to H with a generalized complex structure defined by the vanishing of 2 analytic functions of 4 generalized complex coordinates of H . These surfaces are automatically minimal surfaces. This is true for any geneneral coordinate invariant action constructed in terms of the induced geometric structures so that the dynamics is universal. Different actions differ only in the sense that singularities at which the minimal surface property fails depend on the action. This affects the scattering amplitudes, which can be constructed in terms of the data related to the singularities [L16].
5. Generalized conformal symmetries define an extension of conformal symmetries and one can assign to them Noether charges. Besides this the so called super-symplectic symmetries associated with $\delta M_+^4 \times CP_2$ define isometries of the "world of classical worlds" (WCW), which by holography is essentially the space of Bohr orbits of 3-surfaces as particles so that quantum TGD is expected to reduce to a generalization of wave mechanics.

1.3 Physics as number theory

During these years TGD led to a rather profound generalization of the space-time concept. Quite general properties of the theory led to the notion of many-sheeted space-time with sheets representing physical subsystems of various sizes. At the beginning of 90s I became dimly aware of the importance of p-adic number fields and soon ended up with the idea that p-adic thermodynamics for a conformally invariant system allows to understand elementary particle massivation with amazingly few input assumptions. The attempts to understand p-adicity from basic principles led gradually to the vision about physics as a generalized number theory as an approach complementary to the physics as an infinite-dimensional spinor geometry of WCW approach. One of its elements was a generalization of the number concept obtained by fusing real numbers and various p-adic numbers along common rationals. The number theoretical trinity involves besides p-adic number fields also quaternions and octonions and the notion of infinite prime.

Adelic physics [L1, L2] fusing real and various p-adic physics is part of the number theoretic vision, which provides a kind of dual description for the description based on space-time geometry and the geometry of "world of classical words". Adelic physics predicts two fractal length scale

hierarchies: p-adic length scale hierarchy and the hierarchy of dark length scales labelled by $h_{eff} = nh_0$, where n is the dimension of extension of rational. The interpretation of the latter hierarchy is as phases of ordinary matter behaving like dark matter. Quantum coherence is possible in arbitrarily long scales. These two hierarchies are closely related. p-Adic primes correspond to ramified primes for a polynomial, whose roots define the extension of rationals: for a given extension this polynomial is not unique.

1.3.1 $M^8 - H$ duality

The concrete realization of the number theoretic vision is based on $M^8 - H$ duality (see **Fig. 4**). What the precise form is this duality is, has been far from clear but the recent form is the simplest one and corresponds to the original view [L15]. M^8 corresponds to octonions O but with the number theoretic metric defined by $Re(o^2)$ rather than the standard norm and giving Minkowskian signature.

The physics in M^8 can be said to be algebraic whereas in H field equations are partial differential equations. The dark matter hierarchy corresponds to a hierarchy of algebraic extensions of rationals inducing that for adeles and has interpretation as an evolutionary hierarchy (see **Fig. 5**). p-Adic physics is an essential part of number theoretic vision and the space-time surfaces are such that at least their M^8 counterparts exists also in p-adic sense. This requires that the analytic function defining the space-time surfaces are polynomials with rational coefficients.

$M^8 - H$ duality relates two complementary visions about physics (see **Fig. 6**), and can be seen as a generalization of the momentum-position duality of wave mechanics, which fails to generalize to quantum field theories (QFTs). $M^8 - H$ duality applies to particles which are 3-surfaces instead of point-like particles.

1.3.2 p-Adic physics

The idea about p-adic physics as physics of cognition and intentionality emerged also rather naturally and implies perhaps the most dramatic generalization of the space-time concept in which most points of p-adic space-time sheets are infinite in real sense and the projection to the real imbedding space consists of discrete set of points. One of the most fascinating outcomes was the observation that the entropy based on p-adic norm can be negative. This observation led to the vision that life can be regarded as something in the intersection of real and p-adic worlds. Negentropic entanglement has interpretation as a correlate for various positively colored aspects of conscious experience and means also the possibility of strongly correlated states stable under state function reduction and different from the conventional bound states and perhaps playing key role in the energy metabolism of living matter.

If one requires consistency of Negentropy Mazimization Principle with standard measurement theory, negentropic entanglement defined in terms of number theoretic negentropy is necessarily associated with a density matrix proportional to unit matrix and is maximal and is characterized by the dimension n of the unit matrix. Negentropy is positive and maximal for a p-adic unique prime dividing n .

1.3.3 Hierarchy of Planck constants labelling phases ordinary matter dark matter behaving like dark matter

One of the latest threads in the evolution of ideas is not more than nine years old. Learning about the paper of Laurent Nottale about the possibility to identify planetary orbits as Bohr orbits with a gigantic value of gravitational Planck constant made once again possible to see the obvious. Dynamical quantized Planck constant is strongly suggested by quantum classical correspondence and the fact that space-time sheets identifiable as quantum coherence regions can have arbitrarily large sizes. Second motivation for the hierarchy of Planck constants comes from bio-electromagnetism suggesting that in living systems Planck constant could have large values making macroscopic quantum coherence possible. The interpretation of dark matter as a hierarchy of phases of ordinary matter characterized by the value of Planck constant is very natural.

During summer 2010 several new insights about the mathematical structure and interpretation of TGD emerged. One of these insights was the realization that the postulated hierarchy of Planck constants might follow from the basic structure of quantum TGD. The point is that due

to the extreme non-linearity of the classical action principle the correspondence between canonical momentum densities and time derivatives of the imbedding space coordinates is one-to-many and the natural description of the situation is in terms of local singular covering spaces of the imbedding space. One could speak about effective value of Planck constant $h_{eff} = n \times h$ coming as a multiple of minimal value of Planck constant. Quite recently it became clear that the non-determinism of Kähler action is indeed the fundamental justification for the hierarchy: the integer n can be also interpreted as the integer characterizing the dimension of unit matrix characterizing negentropic entanglement made possible by the many-sheeted character of the space-time surface.

Due to conformal invariance acting as gauge symmetry the n degenerate space-time sheets must be replaced with conformal equivalence classes of space-time sheets and conformal transformations correspond to quantum critical deformations leaving the ends of space-time surfaces invariant. Conformal invariance would be broken: only the sub-algebra for which conformal weights are divisible by n act as gauge symmetries. Thus deep connections between conformal invariance related to quantum criticality, hierarchy of Planck constants, negentropic entanglement, effective p-adic topology, and non-determinism of Kähler action perhaps reflecting p-adic non-determinism emerges.

The implications of the hierarchy of Planck constants are extremely far reaching so that the significance of the reduction of this hierarchy to the basic mathematical structure distinguishing between TGD and competing theories cannot be under-estimated.

1.4 TGD as an analog of topological QFT

Consider next the attribute "Topological". In condensed matter physical topological physics has become a standard topic. Typically one has fields having values in compact spaces, which are topologically non-trivial. In the TGD framework space-time topology itself is non-trivial as also the topology of $H = M^4 \times CP_2$. Since induced metric is involved with TGD, it is too much to say that TGD is topological QFT but one can for instance say, that space-time surfaces as preferred extremals define representatives for 4-D homological equivalence classes.

The space-time as 4-surface $X^4 \subset H$ has a non-trivial topology in all scales and this together with the notion of many-sheeted space-time brings in something completely new. Topologically trivial Einsteinian space-time emerges only at the QFT limit in which all information about topology is lost (see **Fig. 7**).

Any GCI action satisfying holography=holomorphy principle has the same universal basic extremals: CP_2 type extremals serving basic building bricks of elementary particles, cosmic strings and their thickenings to flux tubes defining a fractal hierarchy of structure extending from CP_2 scale to cosmic scales, and massless extremals (MEs) define space-time correletes for massless particles. World as a set or particles is replaced with a network having particles as nodes and flux tubes as bonds between them serving as correlates of quantum entanglement.

"Topological" could refer also to p-adic number fields obeying p-adic local topology differing radically from the real topology (see **Fig. 8**).

1.5 Zero energy ontology

TGD inspired theory of consciousness entered the scheme after 1995 as I started to write a book about consciousness. Gradually it became difficult to say where physics ends and consciousness theory begins since consciousness theory could be seen as a generalization of quantum measurement theory by identifying quantum jump as a moment of consciousness and by replacing the observer with the notion of self identified as a system which is conscious as long as it can avoid entanglement with environment. The somewhat cryptic statement "Everything is conscious and consciousness can be only lost" summarizes the basic philosophy neatly.

General coordinate invariance leads to the identification of space-time surfaces are analogous to Bohr orbits inside causal diamond (CD). CD obtained as intersection of future and past directed light-cones (with CP_2 factor included). By the already described holography, 3-dimensional data replaces the boundary conditions at single 3-surface involving also normal derivatives with conditions involving no derivatives.

In zero energy ontology (ZEO), the superpositions of space-time surfaces inside causal diamond (CD) having their ends at the opposite light-like boundaries of CD, define quantum states. CDs

form a scale hierarchy (see **Fig. 9** and **Fig. 10**). Quantum states are modes of WCW spinor fields, essentially wave functions in the space WCW consisting of Bohr orbit-like 4-surfaces.

Quantum jumps occur between these and the basic problem of standard quantum measurement theory disappears. Ordinary state function reductions (SFRs) correspond to "big" SFRs (BSFRs) in which the arrow of time changes (see **Fig. 11**). This has profound thermodynamic implications and the question about the scale in which the transition from classical to quantum takes place becomes obsolete. BSFRs can occur in all scales but from the point of view of an observer with an opposite arrow of time they look like smooth time evolutions.

In "small" SFRs (SSFRs) as counterparts of "weak measurements" the arrow of time does not change and the passive boundary of CD and states at it remain unchanged (Zeno effect).

1.6 Equivalence Principle in TGD framework

There have been also longstanding problems related to the relationship between inertial mass and gravitational mass, whose identification has been far from obvious.

1. Gravitational energy is well-defined in cosmological models but is not conserved. Hence the conservation of the inertial energy does not seem to be consistent with the Equivalence Principle. In this framework the quantum numbers are assigned with zero energy states located at the boundaries of CDs defined as intersections of future and past directed light-cones. The notion of energy-momentum becomes length scale dependent since one has a scale hierarchy for causal diamonds. This allows to understand the non-conservation of energy as apparent.

Equivalence Principle in the form expressed by Einstein's equations follows from Poincare invariance once it is realized that GRT space-time is obtained from the many-sheeted space-time of TGD by lumping together the space-time sheets to a region of Minkowski space and endowing it with an effective metric given as a sum of Minkowski metric and deviations of the metrics of space-time sheets from Minkowski metric. Similar description relates classical gauge potentials identified as components of induced spinor connection to Yang-Mills gauge potentials in GRT space-time. Various topological inhomogeneities below resolution scale identified as particles are described using energy momentum tensor and gauge currents.

At quantum level, the Equivalence Principle has a surprisingly strong content. In linear Minkowski coordinates, space-time projection of the M^4 spinor connection representing gravitational gauge potentials the coupling to induced spinor fields vanishes. Also the modified Dirac action for the solutions of the modified Dirac equation seems to vanish identically and in TGD perturbative approach separating interaction terms is not possible.

The modified Dirac equation however fails at the singularities of the minimal surface representing space-time surface and Dirac action reduces to an integral over singularities for the trace of the second fundamental form slashed between the induced spinor field and its conjugate. Also the M^4 part of the trace is non-vanishing and gives rise to the gravitational coupling. The trace gives both standard model vertices and graviton emission vertices. One could say that at the quantum level gravitational and gauge interactions are eliminated everywhere except at the singularities identifiable as defects of the ordinary smooth structure. The exotic smooth structures [L7], possible only in dimension 4, are ordinary smooth structures apart from these defects serving as vertex representing a creation of a fermion-antifermion pair in the induced gauge potentials. The vertex is universal and essentially the trace of the second fundamental form as an analog of the Higgs field and the gravitational constant is proportional to the square of CP_2 radius.

2. There is a delicate difference between inertial and gravitational masses. One can assume that the modes of the imbedding space spinor fields are solutions of massless Dirac equation in either $M^4 \times CP_2$ and therefore eigenstates of inertial momentum or in $CD = cd \times CP_2$: in this case they are only mass eigenstates. The mass spectra are identical for these options. Inertial momenta correspond naturally to the Poincare charges in the space of CDs. For the CD option the spinor modes correspond to mass squared eigenstates for which the mode for H^3 with a given value of light-proper time is a unitary irreducible $SO(1, 3)$ representation

rather than a representation of translation group. These two eigenmode basis correspond to gravitational basis for spinor modes.

1.7 Quantum TGD as a generalization of Einstein's geometrization program

I started the serious attempts to construct quantum TGD after my thesis around 1982. The original optimistic hope was that path integral formalism or canonical quantization might be enough to construct the quantum theory but it turned that this approach fails due to the extreme non-linearity of the theory.

It took some years to discover that the only working approach is based on the generalization of Einstein's program. Quantum physics involves the geometrization of the infinite-dimensional "world of classical worlds" (WCW) identified as the space of 3-dimensional surfaces. Later 3-surfaces were replaced with 4-surfaces satisfying holography and therefore as analogs of Bohr orbits.

1. If one assumes Bohr orbitology, then strong correlations between the 3-surfaces at the ends of CD follow and mean holography. It is natural to identify the quantum states of the Universe (and sub-Universe) as modes of a formally classical spinor field in WCW. WCW gamma matrices are expressible in terms of oscillator operators of free second quantized spinor fields of H . The induced spinor fields identified projections of H spinor fields to the space-time surfaces satisfy modified Dirac equation for the modified Dirac equation. Only quantum jump remains the genuinely quantal aspect of quantum physics.
2. Quantum TGD can be seen as a theory for free spinor fields in WCW having maximal isometries and the generalization of the Super Virasoro conditions gives rise to the analog massless Dirac equation at the level of WCW.

1.7.1 The world of classical worlds and its symmetries

The notion of "World of Classical Worlds" (WCW) emerged around 1985 but found its basic form around 1990. Holography forced by the realization of General Coordinate Invariance forced/allowed to give up the attempts to make sense of the path integral.

A more concrete way to express this view is that WCW does not consist of 3-surfaces as particle-like entities but almost deterministic Bohr orbits assignable to them as preferred extremals of Kähler action so that quantum TGD becomes wave mechanics in WCW combined with Bohr orbitology. This view has profound implications, which can be formulated in terms of zero energy ontology (ZEO), solving among other things the basic paradox of quantum measurement theory. ZEO forms also the backbone of TGD inspired theory of consciousness and quantum biology.

WCW geometry exists only if it has maximal isometries: this statement is a generalization of the discovery of Freed for loop space geometries [?]. I have proposed [K3, K2, K7, K5, L14] that WCW could be regarded as a union of generalized symmetric spaces labelled by zero modes which do not contribute to the metric. The induced Kähler field is invariant under symplectic transformations of CP_2 and would therefore define zero mode degrees of freedom if one assumes that WCW metric has symplectic transformations as isometries. In particular, Kähler magnetic fluxes would define zero modes and are quantized closed 2-surfaces. The induced metric appearing in Kähler action is however not zero mode degree of freedom. If the action contains volume term, the assumption about union of symmetric spaces is not well-motivated.

Symplectic transformations are not the only candidates for the isometries of WCW. The basic picture about what these maximal isometries could be, is partially inspired by string models.

1. A weaker proposal is that the symplectomorphisms of H define only symplectomorphisms of WCW. Extended conformal symmetries define also a candidate for isometry group. Remarkably, light-like boundary has an infinite-dimensional group of isometries which are in 1-1 correspondence with conformal symmetries of $S^2 \subset S^2 \times R_+ = \delta M_+^4$.
2. Extended Kac Moody symmetries induced by isometries of δM_+^4 are also natural candidates for isometries. The motivation for the proposal comes from physical intuition deriving from

string models. Note they do not include Poincare symmetries, which act naturally as isometries in the moduli space of causal diamonds (CDs) forming the "spine" of WCW.

3. The light-like orbits of partonic 2-surfaces might allow separate symmetry algebras. One must however notice that there is exchange of charges between interior degrees of freedom and partonic 2-surfaces. The essential point is that one can assign to these surface conserved charges when the dual light-like coordinate defines time coordinate. This picture also assumes a slicing of space-time surface by the partonic orbits for which partonic orbits associated with wormhole throats and boundaries of the space-time surface would be special. This slicing would correspond to Hamilton-Jacobi structure.
4. Fractal hierarchy of symmetry algebras with conformal weights, which are non-negative integer multiples of fundamental conformal weights, is essential and distinguishes TGD from string models. Gauge conditions are true only the isomorphic subalgebra and its commutator with the entire algebra and the maximal gauge symmetry to a dynamical symmetry with generators having conformal weights below maximal value. This view also conforms with p -adic mass calculations.
5. The realization of the symmetries for 3-surfaces at the boundaries of CD and for light-like orbits of partonic 2-surfaces is known. The problem is how to extend the symmetries to the interior of the space-time surface. It is natural to expect that the symmetries at partonic orbits and light-cone boundary extend to the same symmetries.

After the developments towards the end of 2023, it seems that the extension of conformal and Kac-Moody symmetries of string models to the TGD framework is understood. What about symplectic symmetries, which were originally proposed as isometries of WCW? In this article this question is discussed in detail and it will be found that these symmetries act naturally on 3-D holographic data and one can identify conserved charges. By holography this is in principle enough and might imply that the actions of holomorphic and symplectic symmetry algebras are dual. Holography=holomorphy hypothesis is discussed also in the case of the modified Dirac equation.

1.7.2 About the construction of scattering amplitudes

From the point of view of particle physics the ultimate goal is of course a practical construction recipe for the S-matrix of the theory. I have myself regarded this dream as quite too ambitious taking into account how far-reaching re-structuring and generalization of the basic mathematical structure of quantum physics is required. After having made several guesses for what the counterpart of S-matrix could be, it became clear that the dream about explicit formulas is unrealistic before one has understood what happens in quantum jump.

1. In ZEO [K8, ?] one must distinguish between "small" state function reductions (SSFRs) and "big" SFRs (BSFRs). BSFR is the TGD counterpart of the ordinary SFRs and the arrow of the geometric time changes in it. SSFR follows the counterpart of a unitary time evolution and the arrow of the geometric time is preserved in SSFR. The sequence of SSFRs is the TGD counterpart for the sequence of repeated quantum measurements of the same observables in which nothing happens to the state. In TGD something happens in SSFRs and this gives rise to the flow of consciousness. When the set of the observables measured in SSFR does not commute with the previous set of measured observables, BSFR occurs.

The evolution by SSFRs means that also the causal diamond changes. At quantum level one has a wave function in the finite-dimensional moduli space of CDs which can be said to form a spine of WCW [L12]. CDs form a scale hierarchy. SSFRs are preceded by a dispersion in the moduli space of CDs and SSFR means localization in this space.

2. There are several S-matrix like entities. One can assign an analog of the S-matrix to each analog of unitary time evolution preceding a given SSFR. One can also assign an analog S-matrix between the eigenstate basis of the previous set of observables and the eigenstate basis of new observers: this S-matrix characterizes BSFR. One can also assign to zero energy states an S-matrix like entity between the states assignable to the two boundaries of CD.

These S-matrix like objects can be interpreted as a complex square root of the density matrix representable as a diagonal and positive square root of density matrix and unitary S-matrix so that quantum theory in ZEO can be said to define a square root of thermodynamics at least formally.

In standard QFTs Feynman diagrams provide the description of scattering amplitudes. The beauty of Feynman diagrams is that they realize unitarity automatically via the so-called Cutkosky rules. In contrast to Feynman's original beliefs, Feynman diagrams and virtual particles are taken only as a convenient mathematical tool in quantum field theories. The QFT approach is however plagued by UV and IR divergences and one must keep mind open for the possibility that a genuine progress might mean opening of the black box of the virtual particle.

In the TGD framework this generalization of Feynman diagrams indeed emerges unavoidably.

1. The counterparts of elementary particles can be identified as closed monopole flux tubes connecting two parallel Minkowskian space-time sheets and have effective ends which are Euclidean wormhole contacts. The 3-D light-like boundaries of wormhole contacts as orbits of partonic 2-surfaces.

The intuitive picture is that the 3-D light-like partonic orbits replace the lines of Feynman diagrams and vertices are replaced by 2-D partonic 2-surfaces. A stronger condition is that fermion number is carried by light-like fermion lines at the partonic orbits, which can be identified as boundaries string world sheets.

2. The localization of the nodes of induced spinor fields to 2-D string world sheets (and possibly also to partonic 2-surfaces) implies a stringy formulation of the theory analogous to stringy variant of twistor formalism with string world sheets having interpretation as 2-braids. In the TGD framework, the fermionic variant of twistor Grassmann formalism combined with the number theoretic vision [L5, L6] led to a stringy variant of the twistor diagrammatics.
3. Fundamental fermions are off-mass-shell in the sense that their momentum components are real algebraic integers in an extension of rationals associated with the space-time surfaces inside CD with a momentum unit determined by the CD size scale. Galois confinement states that the momentum components are integer valued for the physical states.
4. The twistorial approach suggests also the generalization of the Yangian symmetry to infinite-dimensional super-conformal algebras, which would determine the vertices and scattering amplitudes in terms of poly-local symmetries.

The twistorial approach is however extremely abstract and lacks a concrete physical interpretation. The holography=holomorphy vision led to a breakthrough in the construction of the scattering amplitudes by solving the problem of identifying interaction vertices [L16].

1. The basic prediction is that space-time surfaces as analogs of Bohr orbits are holomorphic in a generalized sense and are therefore minimal surfaces. The minimal surface property fails at lower-dimensional singularities and the trace of the second fundamental form (SFF) analogous to acceleration associated with the Bohr orbit of the particle as 3-surface has a delta function like singularity but vanishes elsewhere.
2. The minimal surface property expresses masslessness for both fields and particles as 3-surfaces. At singularities masslessness property fails and singularities can be said to serve as sources which also in QFT define scattering amplitudes.
3. The singularities are analogs of poles and cuts for the 4-D generalization of the ordinary holomorphic functions. Also for ordinary holomorphic functions, the Laplace equation as analog of a massless field equation and expressing analyticity fails. Complex analysis generalizes to dimension 4.
4. In dimension $D = 4$, and only there, there is an infinite number of exotic smooth structures [?], which differ from ordinary ones at singularities of measure zero analogous to defects. These defects correspond naturally to the singularities of minimal surfaces as analogs of

poles and cuts. One can say that for the exotic smooth structure there is no singularity. In the TGD framework these exotic smooth structures make possible the creation of fermion pairs from the induced classical gauge fields.

5. The conditions at the singularity give a generalization of Newton's "F=ma"! I ended up where I started more than 50 years ago! Acceleration corresponds to the trace of the second fundamental form (SFF), which behaves like a delta function at the singularity. Group theoretically the trace of the SFF can be regarded as a generalization of the Higgs field, which is non-vanishing only at the vertices and this is enough. The M^4 part of SFF as a generalized acceleration defines a natural candidate for the classical graviton and has the required properties including the coupling strength. Singularities take the role of generalized particle vertices and determine the scattering amplitudes.

SFF contracted with the embedding space gamma matrices and slashed between the second quantized induced spinor field and its conjugate gives a vertex involving only fermions (bosons are bound states of fermions in TGD). There is also gauge potential contribution [L10] contains both gauge and gravitational contributions to the scattering amplitudes and there is a complete symmetry between gravitational and gauge interactions. Gravitational couplings come out correctly as the radius squared of CP_2 as also in the classical picture.

6. The study of the modified Dirac equation, with modified gamma matrices identified as induced gamma matrices defined by volume action, leads to the conclusion that vertices as singularities and defects contain the standard electroweak gauge contribution coming from the induced spinor connections of M^4 and CP_2 . M^4 part of the generalized Higgs can give rise to a graviton as an $L = 1$ rotational state of the flux tube representing the graviton. M^4 Kähler gauge potential could give a contribution to electroweak U(1) force or give rise to a spin 1 particle. The vielbein part of the M^4 spinor connection is pure gauge and could give rise to gravitational topological field theory.

2 Basic ideas of TGD inspired quantum biology

The following list gives the basic elements of TGD inspired quantum biology.

1. Many-sheeted space-time allows the interpretation of the structures of macroscopic world around us in terms of space-time topology. Magnetic/field body acts as intentional agent using biological body as a sensory receptor and motor instrument and controlling biological body and inheriting its hierarchical fractal structure. Fractal hierarchy of EEGs and its variants can be seen as communication and control tools of magnetic body. Also collective levels of consciousness have a natural interpretation in terms of magnetic body. Magnetic body makes also possible entanglement in macroscopic length scales. The braiding of magnetic flux tubes makes possible topological quantum computations and provides a universal mechanism of memory. One can also understand the real function of various information molecules and corresponding receptors by interpreting the receptors as addresses in quantum computer memory and information molecules as ends of flux tubes which attach to these receptors to form a connection in quantum web.

Note that also the notion of electric body makes sense [L9]. Quite generally, long range classical gravitational, electric and magnetic fields give rise to very large values of effective Planck constants. The Nottale's hypothesis of gravitational Planck constant generalizes to electric interactions.

2. Magnetic body carrying dark matter and forming an onion-like structure with layers characterized by large values of Planck constant is the key concept of TGD inspired view about Quantum Mind to biology.. Magnetic body is identified as intentional agent using biological body as sensory receptor and motor instrument. EEG and its fractal variants are identified as a communication and control tool of the magnetic body and a fractal hierarchy of analogs of EEG is predicted. Living system is identified as a kind of Indra's net with biomolecules representing the nodes of the net and magnetic flux tubes connections between them.

The reconnection of magnetic flux tubes and phase transitions changing Planck constant and therefore the lengths of the magnetic flux tubes are identified as basic mechanisms behind DNA replication and analogous processes and also behind the phase transitions associated with the gel phase in cell interior. The braiding of magnetic flux makes possible universal memory representation recording the motions of the basic units connected by flux tubes. Braiding also defines topological quantum computer programs updated continually by the flows of the basic units. The model of DNA as topological quantum computer is discussed as an application. In zero energy ontology the braiding actually generalizes to 2-braiding for string world sheets in 4-D space-time and brings in new elements.

3. Zero energy ontology (ZEO) makes possible the proposed p-adic description of intentions and cognitions and their transformations to action. Time mirror mechanism based on sending of negative energy signal to geometric past would apply to both long term memory recall, remote metabolism, and realization of intentional acting as an activity beginning in the geometric past in accordance with the findings of Libet. ZEO gives a precise content to the notion of negative energy signal in terms of zero energy state for which the arrow of geometric time is opposite to the standard one.

The associated notion of causal diamond (*CD*) is essential element and assigns to elementary particles new fundamental time scales which are macroscopic: for electron the time scale is .1 seconds, the fundamental biorhythm. An essentially new element is time-like entanglement which allows to understand among other things the quantum counterparts of Boolean functions in terms of time-like entanglement in fermionic degrees of freedom.

4. The assignment of dark matter with a hierarchy of Planck constants gives rise to a hierarchy of macroscopic quantum phases making possible macroscopic and macrotemporal quantum coherence and allowing to understand evolution as a gradual increase of Planck constant. The model for dark nucleons leads to a surprising conclusion: the states of nucleons correspond to DNA, RNA, tRNA, and amino-acids in a natural manner and vertebrate genetic code as correspondence between DNA and amino-acids emerges naturally. This suggests that genetic code is realized at the level of dark hadron physics and living matter in the usual sense provides a secondary representation for it. The hierarchy of Planck constants emerges from basic TGD under rather general assumptions.
5. p-Adic physics can be identified as physics of cognition and intentionality. Negentropic entanglement possible for number theoretic entanglement entropy makes sense for rational (and even algebraic) entanglement and leads to the identification of life as something residing in the intersection of real and p-adic worlds. NMP respects negentropic entanglement and the attractive idea is that the experience of understanding and positively colored emotions relate to negentropic entanglement.
6. Living matter as conscious hologram is one of the basic ideas of TGD inspired biology and consciousness theory. The basic objection against TGD is that the interference of classical fields is impossible in the standard sense for the reason that classical fields are not primary dynamical variables in TGD Universe. The resolution is based on the observation that only the interference of the effects caused by these fields can be observed experimentally and that many-sheeted space-time allows to realize the summation of effects in terms of multiple topological condensations of particles to several parallel space-time sheets. One concrete implication is fractality of qualia. Qualia appear in very wide range of scales: our qualia could in fact be those of magnetic body. The proposed mechanism for the generation of qualia realizes the fractality idea.

Various anomalies of living matter have been in vital role in the development of not only TGD view about living matter but also TGD itself.

1. TGD approach to living matter was strongly motivated by the findings about the strange behavior of cell membrane and of cellular water, and gel behavior of cytoplasm. Also the findings about effects of ELF em fields on vertebrate brain were decisive and led to the proposal of the hierarchy of Planck constants found later to emerge naturally from the non-determinism

of Kähler action. Rather satisfactorily, the other manner to introduce the hierarchy of Planck constants is in terms of gravitational Planck constant: at least in microscopic scales the equivalence of these approaches makes sense and leads to highly non-trivial predictions. The basic testable prediction is that dark photons have cyclotron frequencies inversely proportional to their masses but universal energy spectrum in visible and UV range which corresponds to the transition energies for biomolecules so that they are ideal for biocontrol at the level of both magnetic bodies and at the level of biochemistry.

2. Water is in key role in living matter and also in TGD inspired view about living matter. The anomalies of water lead to a model for dark nuclei as dark proton strings with the surprising prediction that DNA, RNA, aminoacids and even tRNA are in one-one correspondence with the resulting 3-quark states and that vertebrate genetic code emerges naturally. This leads to a vision about water as primordial lifeform still playing a vital role in living organisms. The model of water memory and homeopathy in turn generalizes to a vision about how immune system might have evolved.
3. Metabolic energy is necessary for conscious information processing in living matter. This suggests that metabolism should be basically transfer of negentropic entanglement from nutrients to the organism. ATP could be seen as a molecule of consciousness in this picture and high energy phosphate bond would make possible the transfer of negentropy.
4. Pollack effect and its generalizations are in a central role in the TGD inspired quantum biology. In the Pollack effect, the feed of energy allows to increase the value of effective Planck constant so that an ordinary charged particle transforms to its dark variant, being kicked to, say, the gravitational magnetic body of the system itself or some other system such as the Earth or Sun. Charge separation takes place between ordinary biomatter and its magnetic body. Dissipation is extremely small at the magnetic /field body so that Pollack effect makes it possible to realize various biological functions at the magnetic/field body. Photons, in particular solar photons, can provide the energy needed to increase the value of h_{eff} but there are many other possibilities. For instance, the formation of molecular bound states of atoms liberates energy which can be used in the Pollack effect and this process could generate dark matter at the magnetic and more general field bodies.

3 TGD view of consciousness very briefly

The following is a very brief summary of the basic notions and ideas of TGD inspired theory of consciousness.

1. TGD inspired theory of consciousness can be seen as a generalization of quantum measurement theory by bringing in the conscious observer. One can even say that Quantum TGD is basically a theory of conscious experience.

The basic new elements are the resolution of the basic problem of the measurement theory by the introduction of ZEO, which brings new elements also to the quantum measurement theory and leads to a view about how the arrow of time and its flow are generated. Number theoretic physics brings in p-adic physics and the notion of negentropic entanglement. Negentropy Maximization Principle (NMP) was first proposed to serve as a variational principle of consciousness but turned out to follow from number theoretical evolution as a mathematical analog of the second law and implying it. The possibility of negentropic entanglement indeed predicts evolution as gradual increase of negentropic resources of the Universe.

2. There are two kinds of state function reductions: the "small" ones (SSFRs) and the "big" ones (BSFRs). The sequence of SSFRs is the counterpart for the repeated measurements of the same observables or at least for a sequence involving measurements of sets of mutually commuting observables such that these sets commute with each other. The state function reductions which leave invariant only the second part of the zero energy state but change the other one: this is the counterpart of the Zeno effect.

Self can be identified as the sequence of SSFRs preceded by the TGD counterparts of unitary time evolutions. The generation of "Akashic records" defined by negentropically entangled systems plays a vital role in the understanding of evolution.

When the set of observables measured in does not commute with the preceding set, SSFR is not possible and BSFR occurs and changes the arrow of time. The roles of the boundaries of CD are changed. Self reincarnates with an opposite arrow of time. Since the classical signals generated by self propagate to opposite time direction, "classical" memories about this period are not possible.

This prediction is something totally new and profoundly affects the view of physics even in cosmological scales since the hierarchy of effective Planck constants allows quantum coherence and consciousness are therefore possible in all scales. For the outsider BSFR looks like a loss of consciousness, death, or falling asleep. The system starts to live consciously in the opposite time direction and reincarnates in the next BSFR.

The strongest simplifying assumption is that the size of CD increases steadily in the sequences of SSFRs. A more precise view is achieved by introducing the finite-dimensional space of CDs. A given SSFR is preceded by a TGD counterpart of a unitary time evolution as a dispersion in the space of CDs. SSFR means a localization in this moduli space and implies the statistical increase of the size CD and the correlation between experienced time as sequence of SSFRs with the geometric time identifiable as the distance between the tips of CD.

3. CDs serve as correlates of selves and a hierarchy of selves is predicted and closely relates to the p-adic hierarchy and hierarchy of Planck constants. Subselves are interpreted as mental images of self and the sharing of mental images by fusion of subselves gives rise to a kind of stereo consciousness.

4 Figures

REFERENCES

Books related to TGD

- [K1] Pitkänen M. Construction of elementary particle vacuum functionals. In *p-Adic Physics*. <https://tgdtheory.fi/tgdhtml/Bpadphys.html>. Available at: <https://tgdtheory.fi/pdfpool/elvafu.pdf>, 2023.
- [K2] Pitkänen M. Construction of WCW Kähler Geometry from Symmetry Principles. In *Quantum Physics as Infinite-Dimensional Geometry*. <https://tgdtheory.fi/tgdhtml/Btggeom.html>. Available at: <https://tgdtheory.fi/pdfpool/compl1.pdf>, 2023.
- [K3] Pitkänen M. Identification of the WCW Kähler Function. In *Quantum Physics as Infinite-Dimensional Geometry*. <https://tgdtheory.fi/tgdhtml/Btggeom.html>. Available at: <https://tgdtheory.fi/pdfpool/kahler.pdf>, 2023.
- [K4] Pitkänen M. Massless states and particle massivation. In *p-Adic Physics*. <https://tgdtheory.fi/tgdhtml/Bpadphys.html>. Available at: <https://tgdtheory.fi/pdfpool/mless.pdf>, 2023.
- [K5] Pitkänen M. Recent View about Kähler Geometry and Spin Structure of WCW. In *Quantum Physics as Infinite-Dimensional Geometry*. <https://tgdtheory.fi/tgdhtml/Btggeom.html>. Available at: <https://tgdtheory.fi/pdfpool/wcnnew.pdf>, 2023.
- [K6] Pitkänen M. Symmetries and Geometry of the "World of Classical Worlds". In *Quantum Physics as Infinite-Dimensional Geometry*. <https://tgdtheory.fi/tgdhtml/Btggeom.html>. Available at: <https://tgdtheory.fi/pdfpool/wcwsym.pdf>, 2023.




Figure 1: The problems leading to TGD as their solution.

[K7] Pitkänen M. WCW Spinor Structure. In *Quantum Physics as Infinite-Dimensional Geometry*. <https://tgdttheory.fi/tgdhtml/Btgdgeom.html>. Available at: <https://tgdttheory.fi/pdfpool/cspin.pdf>, 2023.

[K8] Pitkänen M. Zero Energy Ontology. In *Quantum TGD: Part I*. <https://tgdttheory.fi/tgdhtml/Btgdquantum1.html>. Available at: <https://tgdttheory.fi/pdfpool/ZEO.pdf>, 2023.

Articles about TGD

[L1] Pitkänen M. Philosophy of Adelic Physics. In *Trends and Mathematical Methods in Interdisciplinary Mathematical Sciences*, pages 241–319. Springer. Available at: https://link.springer.com/chapter/10.1007/978-3-319-55612-3_11, 2017.

[L2] Pitkänen M. Philosophy of Adelic Physics. Available at: https://tgdttheory.fi/public_html/articles/adelephysics.pdf, 2017.

[L3] Pitkänen M. Questions about twistor lift of TGD. Available at: https://tgdttheory.fi/public_html/articles/twistquestions.pdf, 2017.

[L4] Pitkänen M. The Recent View about Twistorialization in TGD Framework. Available at: https://tgdttheory.fi/public_html/articles/smatrix.pdf, 2018.

[L5] Pitkänen M. About TGD counterparts of twistor amplitudes: part I. https://tgdttheory.fi/public_html/articles/twisttgd1.pdf, 2022.




Figure 2: Twistor lift





Figure 3: Geometrization of quantum physics in terms of WCW

- [L6] Pitkänen M. About TGD counterparts of twistor amplitudes: part II. https://tgdtheory.fi/public_html/articles/twisttg2.pdf., 2022.
- [L7] Pitkänen M. Intersection form for 4-manifolds, knots and 2-knots, smooth exotics, and TGD. https://tgdtheory.fi/public_html/articles/finitefieldsTGD.pdf., 2022.
- [L8] Pitkänen M. Two objections against p-adic thermodynamics and their resolution. https://tgdtheory.fi/public_html/articles/padmass2022.pdf., 2022.
- [L9] Pitkänen M. About long range electromagnetic quantum coherence in TGD Universe. https://tgdtheory.fi/public_html/articles/hem.pdf., 2023.
- [L10] Pitkänen M. About the Relationships Between Weak and Strong Interactions and Quantum Gravity in the TGD Universe . https://tgdtheory.fi/public_html/articles/SW.pdf., 2023.
- [L11] Pitkänen M. Holography and Hamilton-Jacobi Structure as 4-D generalization of 2-D complex structure. https://tgdtheory.fi/public_html/articles/HJ.pdf., 2023.
- [L12] Pitkänen M. New result about causal diamonds from the TGD view point of view. https://tgdtheory.fi/public_html/articles/CDconformal.pdf., 2023.
- [L13] Pitkänen M. Reduction of standard model structure to CP_2 geometry and other key ideas of TGD. https://tgdtheory.fi/public_html/articles/cp2etc.pdf., 2023.
- [L14] Pitkänen M. Symmetries and Geometry of the “World of Classical Worlds” . https://tgdtheory.fi/public_html/articles/wcwsymm.pdf., 2023.

Figure 4: $M^8 - H$ duality

[L15] Pitkänen M. A fresh look at M^8H duality and Poincare invariance. https://tgdttheory.fi/public_html/articles/TGDcritics.pdf., 2024.

[L16] Pitkänen M. What gravitons are and could one detect them in TGD Universe? https://tgdttheory.fi/public_html/articles/whatgravitons.pdf., 2024.




Figure 5: Number theoretic view of evolution




Figure 6: TGD is based on two complementary visions: physics as geometry and physics as number theory.




Figure 7: Questions about classical TGD.




Figure 8: p-Adic physics as physics of cognition and imagination.




Figure 9: Causal diamond




Figure 10: CDs define a fractal “conscious atlas”




Figure 11: Time reversal occurs in BSFR