

The understanding of the unitarity of the S-matrix has remained a major challenge of Topological Geometro-dynamics (TGD) for 4 decades. It has become clear that some basic principle is still lacking. Assigning S-matrix to a unitary evolution works in non-relativistic theory but fails already in the generic quantum field theory (QFT). The solution of the problem turned out to be extremely simple. Einstein's great vision was to geometrize gravitation by reducing it to the curvature of space-time. Could the same recipe work for quantum theory? Could the replacement of the flat Kähler metric of Hilbert space with a non-flat one allow the identification of the analog of unitary S-matrix as a geometric property of Hilbert space? Kähler metric is required to geometrize hermitian conjugation. It turns out that the Kähler metric of a Hilbert bundle determined by the Kähler metric of its base space would replace unitary S-matrix.

An amazingly simple argument demonstrates that one can construct scattering probabilities from the matrix elements of Kähler metric and assign to the Kähler metric a unitary S-matrix assuming that some additional conditions guaranteeing that the probabilities are real and non-negative are satisfied. If the probabilities correspond to the real part of the complex analogs of probabilities, it is enough to require that they are non-negative: complex analogs of probabilities would define the analog of Teichmüller matrix. Teichmüller space parameterizes the complex structures of Riemann surface: could the allowed WCW Kähler metrics – or rather the associated complex probability matrices – correspond to complex structures for some space? By the strong form of holography (SH), the most natural candidate would be Cartesian product of Teichmüller spaces of partonic 2 surfaces with punctures and string world sheets.

Under some additional conditions one can assign to Kähler metric a unitary S-matrix but this does not seem necessary. The experience with loop spaces suggests that for infinite-D Hilbert spaces the existence of non-flat Kähler metric requires a maximal group of isometries. Hence one expects that the counterpart of S-matrix is highly unique.

In the TGD framework the "world of classical worlds" (WCW) has Kähler geometry allowing spinor structure. WCW spinors correspond to Fock states for second quantized spinors at space-time surface and induced from second quantized spinors of the imbedding space. Scattering amplitudes would correspond to the Kähler metric for the Hilbert space bundle of WCW spinor fields realized in zero energy ontology and satisfying Teichmüller condition guaranteeing non-negative probabilities.

Equivalence Principle generalizes to level of WCW and its spinor bundle. In ZEO one can assign also to the Kähler space of zero energy states spinor structure and this strongly suggests an infinite hierarchy of second quantizations starting from space-time level, continuing at the level of WCW, and continuing further at the

level of the space of zero energy states. This would give an interpretation for an old idea about infinite primes as an infinite hierarchy of second quantizations of an arithmetic quantum field theory.